

Woodhead Cord and Cable Reels

Woodhead cable reels have long been the industry benchmark for performance and reliability in electrical reels. For electrical power applications that are temporary in nature or for equipment that is moving, using electric reels helps keep the electrical cable safely out of the way, protecting workers from trip hazards and extending the life of the cable by eliminating damage during use.

Standard Duty Reels

Woodhead Standard-Duty Cord Reels are renowned for their exceptional performance, long service life and ease of maintenance in dry indoor applications. Standard-duty cord reels are available with a variety of options and accessories. Constructed with precision electrical and mechanical components, standard duty spring-powered cord reels are ideal for keeping hand lamps and power boxes accessible and out of the way. These reels are ideal for use in schools and shop areas.

Industrial Duty Reels

Woodhead Industrial Duty Cable Reels are designed for the most demanding of indoor/outdoor industrial applications. Industrial-duty cable reels are spring-powered reels made of precision electrical and mechanical components to accommodate up to 12 conductor cable and up to 15.3m (50') of SOW cable. Cable reels have NEMA 4 ratings for indoor and outdoor use to protect against water, weather and dust resistance



Woodhead Cord and Cable Reels

Standard Duty Reels

Order No.	Engineering No.	Cord Type	Current	Plug	Cord Length	Construction	Mounting Style	Retraction Weight
130090-0009	945-3	16/3 SJTOW	6A	NEMA 5-15	10.67m (35.0')	Steel	Swinging	0.9kg (2.0 lb)
130091-0013	980	16/3 SJTOW	8A	NEMA 5-15	15.24m (50.0')	Steel/Polycarbonate	Rigid	1.4kg (3.0 lb)
130091-0045	990	14/3 SJTOW	11A	NEMA 5-15	13.72m (45.0')	Steel/Polycarbonate	Rigid	1.4kg (3.0 lb)
130091-0085	997	12/3 SJTOW	15A	NEMA 5-15	10.67m (35.0')	Steel/Polycarbonate	Rigid	1.4kg (3.0 lb)
130091-0210	997L			NEMA L5-15				
130091-0202	998	12/3 SJTOW	20A	NEMA 5-20	10.67m (35.0')	Steel/Polycarbonate	Rigid	1.4kg (3.0 lb)
130091-0205	998L			NEMA L5-20				



Standard Duty Reels with Power Accessories

Cord Reel	Order No.	Engineering No.	Plug Type	Working End	Cord Type	Cord Length	Number of Outlets	GFCI Protected
	130090-0008	945-1547	NEMA 5-15	NEMA 5-15 Connector	16/3 SJTOW	10.67m (35.0')	1	
	130090-0019	966		Double Duplex Outlet Box, NEMA 5-15	16/3 SJTOW	10.67m (35.0')	4	
	130091-0023	980-3000		Double Duplex Outlet Box, NEMA 5-15	16/3 SJTOW	15.24m (50.0')	4	
	130091-0025	980-3070G		Single Duplex GFCI Outlet Box, NEMA 5-15	16/3 SJTOW	15.24m (50.0')	2	Yes
	130091-0053	990-1547		NEMA 5-15 Connector	14/3 SJTOW	13.72m (45.0')	1	
	130091-0057	990-3000		Double Duplex Outlet Box, NEMA 5-15	14/3 SJTOW	13.72m (45.0')	4	
	130091-0059	990-3070G		Single Duplex GFCI Outlet Box, NEMA 5-15	14/3 SJTOW	13.72m (45.0')	2	Yes
	130091-0087	997-1547		NEMA 5-15 Connector	12/3 SJTOW	10.67m (35.0')	1	
	130091-0090	997-3000		Double Duplex Outlet Box, NEMA 5-15	12/3 SJTOW	10.67m (35.0')	4	
	130091-0094	997-3070G		Single Duplex GFCI Outlet Box, NEMA 5-15	12/3 SJTOW	10.67m (35.0')	2	Yes
	130091-0203	998-1533	NEMA 5-20	NEMA 5-20 Connector	12/3 SJTOW	10.67m (35.0')	1	
	130091-0204	998-3070G20		Single Duplex GFCI Outlet Box, NEMA 5-20	12/3 SJTOW	10.67m (35.0')	2	Yes
	130091-0201	998-3080		Double Duplex Outlet Box, NEMA 5-20	12/3 SJTOW	10.67m (35.0')	4	
	130091-0206	998L-2747	NEMA L5-20, Locking	NEMA L5-20 Locking Connector	12/3 SJTOW	10.67m (35.0')	1	
	130091-0207	998L-3070G20		Single Duplex GFCI Outlet Box, NEMA 5-20	12/3 SJTOW	10.67m (35.0')	2	Yes
	130091-0208	998L-1533		NEMA 5-20 Connector	12/3 SJTOW	10.67m (35.0')	1	
	130091-0209	998L-3080		Double Duplex Outlet Box, NEMA 5-20	12/3 SJTOW	10.67m (35.0')	4	
	130091-0211	997L-2547	NEMA L5-15, Locking	NEMA L5-15 Locking Connector	12/3 SJTOW	10.67m (35.0')	1	
	130091-0212	997L-3070G		Single Duplex GFCI Outlet Box, NEMA 5-15	12/3 SJTOW	10.67m (35.0')	2	Yes
	130091-0213	997L-1547		NEMA 5-15 Connector	12/3 SJTOW	10.67m (35.0')	1	
	130091-0214	997L-3000		Double Duplex Outlet Box, NEMA 5-15	12/3 SJTOW	10.67m (35.0')	4	



Woodhead Cord and Cable Reels


Industrial Duty Reels

Wire Gauge	Reel without Cable		Conductors	Current	SOW Cable Length	Engineering No.	Order No.
	Reference No.	Cable Range					
16	95105203	up to 50'	3	9A	9.14m (30.0')	9224	130083-0224
	95105203	up to 50'	3	9A	15.24m (50.0')	9228	130083-0225
	95105204	up to 50'	4	7A	9.14m (30.0')	9234	130083-0227
	95105204	up to 50'	4	7A	15.24m (50.0')	9238	130083-0228
	95105206	up to 50'	6	7A	13.72m (45.0')	9206	130083-0222
	95105208	up to 38'	8	6A	11.58m (38.0')	9208	130083-0223
	95106208	38-50'	8	6A	15.24m (50.0')	92481	130083-0239
	95106210	up to 40'	10	5A	9.14m (30.0')	92401	130083-0229
	95106212	up to 40'	12	5A	9.14m (30.0')	92411	130083-0231
14	95105203	up to 25'	3	13A	7.62m (25.0')	9253	130083-0242
	95104203	25-50'	3	13A	15.24m (50.0')	9358	130083-0249
	95104204	up to 50'	4	11A	7.62m (25.0')	9363	130083-0262
	95104204	up to 50'	4	11A	13.72m (45.0')	9367	130083-0263
	95104206	up to 40'	6	11A	10.67m (35.0')	9306	130083-0247
	95104208	up to 20'	8	8A	6.10m (20.0')	9308	130083-0248
	95106208	20-30'	8	8A	9.14m (30.0')	92482	130083-0240
	95106210	up to 20'	10	7A	6.10m (20.0')	92402	130083-0230
12	95104203	up to 35'	3	18A	7.62m (25.0')	9383	130083-0264
	95104203	up to 35'	3	18A	10.67m (35.0')	9385	130083-0279
	95106203	35-50'	3	18A	15.24m (50.0')	92433	130083-0232
	95104204	up to 30'	4	14A	9.14m (30.0')	9394	130083-0284
	95106204	30-40'	4	14A	12.19m (40.0')	92443	130083-0234
	95106206	up to 30'	6	14A	9.14m (30.0')	92463	130083-0237
10	95105203	up to 30'	3	22A	6.10m (20.0')	9242	130084-0318
	95106203	30-40'	3	22A	12.19m (40.0')	92434	130083-0233
	95106204	up to 30'	4	16A	9.14m (30.0')	92444	130083-0236
	95106206	up to 20'	6	14A	6.10m (20.0')	92464	130083-0238



Woodhead Cord and Cable Reels

Industrial Duty Reels with Power Accessories

Cord Reel	Base Reel		Cord Type	Cord Length	Power Accessory	Outlet Type	Number of Outlets	GFCI Protected	Cord Reel with Accessory	
	Engineering No.	Order No.							Engineering No.	Order No.
	9253	130083-0242	14/3 SOW	7.62m (25.0')	3000-1	NEMA 5-15	4		9253-3000	130083-0246
	9358	130083-0249	14/3 SOW	15.24m (50.0')	1547	NEMA 5-15	1		9358-1547	130083-0252
			14/3 SOW	15.24m (50.0')	3070-GFI	NEMA 5-15	2	Yes	9358-3070G	130083-0254
	9383	130083-0264	12/3 SOW	7.62m (25.0')	1547	NEMA 5-15	1		9383-1547	130083-0266
			12/3 SOW	7.62m (25.0')	3000-1	NEMA 5-15	4		9383-3000	130083-0269
			12/3 SOW	7.62m (25.0')	3070-GFI	NEMA 5-15	2	Yes	9383-3070G	130083-0270
			12/3 SOW	7.62m (25.0')	1533	NEMA 5-20	1		9383-1533	130083-0265
			12/3 SOW	7.62m (25.0')	3080-10	NEMA 5-20	4		9383-3080	130083-0271
	9385	130083-0279	12/3 SOW	10.67m (35.0')	3080-10	NEMA 5-20	4		9385-3080	130083-0280
	92433	130083-0232	12/3 SOW	15.24m (50.0')	1547	NEMA 5-15	1		92433-1547	130083-0782
			12/3 SOW	15.24m (50.0')	3000-1	NEMA 5-15	4		92433-3000	130083-0784
			12/3 SOW	15.24m (50.0')	3070-GFI	NEMA 5-15	2	Yes	92433-3070G	130083-0786
			12/3 SOW	15.24m (50.0')	1533	NEMA 5-20	1		92433-1533	130083-0781
			12/3 SOW	15.24m (50.0')	3080-10	NEMA 5-20	4		92433-3080	130083-0787
	92434	130083-0233	10/3 SOW	12.19m (40.0')	3080-10	NEMA 5-20	4		92434-3080	130083-0913

